
San Ditan®

Panazym-Cream

Active care

















Animal care





Ingredients (INCI)

PEG-hydrogenated castor-oil (macrogol 1550/300), polysorbate 80, retinyl palmitate (vit. A), tocopheryl acetate (vit. E), pancreatinum (concentrate cont. protease, amylase, lipase, trypsin 2.6 FIP-U/ml, chymotrypsin 51 FIP-U/ml), papain (2.8 FIP-U/ml).

Product characteristics

SanDitan® Panazym Cream is an active skin care with enzymes and vitamins for strained parts of the skin. The dermatologically finely coordinated ingredients complement one another in their effects.

The microfine formulation of the product has good spreading and adhesion properties. SanDitan® Panazym-Cream contains the valuable and intensively active enzymes papain, chymotrypsin and trypsin. These are biological additives, the dermatological characteristics of which have been known for a long time. The same applies to the vitamins A and E with the emphasis on their cell protecting effect.

Functions

- Care for the damaged skin by proteolytic degradation of damaged tissue thus producing a smooth and supple skin
- Protect the skin by degradation of harmful substances
- Regenerate by promoting the natural regeneration processes

Application

Apply a generous amount of SanDitan® Panazym Cream on the skin and carefully spread it over the intended regions. SanDitan® Panazym Cream does not contain any inhibitory substances, it does neither sting nor irritate. SanDitan® Panazym Cream can therefore be applied several times a day without any problem.

Note

For external application only. Avoid contact with the eyes. Protect from light. Do not store above 25 °C.

Package size

150 g can

The information given in this catalogue sheet corresponds to the state of know-ledge upon completion. Please, kindly thoroughly read the label prior to use.